



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

PIKE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
017615

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1958//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	644FT
<u>DRILL DEPTH:</u>	300FT	0	0	LG1638	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				674,418.72	4,343,746.29
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	150					

REMARKS:

LOG ID:
026489

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1968/08/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	700FT
<u>DRILL DEPTH:</u>	405FT	0	0	LG1666	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				673,560.79	4,353,713.47
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: NO SAMPLES LOGGED - TOPS ONLY

LOG ID:
003745

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1936/08/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	937FT
<u>DRILL DEPTH:</u>	600FT	0	0	LG1685	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	120FT				668,014.67	4,349,516.32
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	370					

REMARKS: 1 MI E OF EDGEWOOD

LOG ID:
024399

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1966/02/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	850FT
<u>DRILL DEPTH:</u>	375FT	0	0	LG1685	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				666,559.64	4,349,439.31
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: LOG PROBABLY IN WRONG LOCATION - "SURVEY 1685"



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011631**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1951/07/05TOWNSHIPRANGESECTIONELEVATION:

832FT

DRILL DEPTH: 485FT

0

0

LG1708

DEPTH TO BED: 60FTUTM XUTM Y

670,778.69

4,345,842.28

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:DEPTHS NOT MARKED ON SACKS; SAMPLES LOGGED BY
DRILLERS LOGS.W.L. (AFTER CASING):**LOG ID:****016695**WELL TYPE

Private Well

DRILL DATE: 1957//TOWNSHIPRANGESECTIONELEVATION:

837FT

DRILL DEPTH: 445FT

0

0

LG1708

DEPTH TO BED: 80FTUTM XUTM Y

669,249.66

4,345,951.26

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING): 80**LOG ID:****002988**WELL TYPE

Private Well

DRILL DATE: 1934/11/22TOWNSHIPRANGESECTIONELEVATION:

558FT

DRILL DEPTH: 630FT

0

0

LG1709

DEPTH TO BED: 5FTUTM XUTM Y

682,610.90

4,353,160.53

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:WELL LOCATED NEAR CREEK BED, CHERT IN SAMPLES, MISS
RESIDUES.W.L. (AFTER CASING): 55**LOG ID:****003751**WELL TYPE

Private Well

DRILL DATE: 1936//TOWNSHIPRANGESECTIONELEVATION:

477FT

DRILL DEPTH: 420FT

0

0

LG1709

DEPTH TO BED: 160FTUTM XUTM Y

680,989.88

4,356,810.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

FLOWED @ 355'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004219**WELL TYPE

Private Well

DRILL DATE: 1937/05/01TOWNSHIPRANGESECTIONELEVATION:

633FT

DRILL DEPTH: 694FT

0

0

LG1709

DEPTH TO BED: 125FTUTM XUTM Y

680,571.88

4,358,346.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 144**LOG ID:****005178**WELL TYPE

Private Well

DRILL DATE: 1938//TOWNSHIPRANGESECTIONELEVATION:

490FT

DRILL DEPTH: 462FT

0

0

LG1709

DEPTH TO BED: 20FTUTM XUTM Y

680,655.87

4,351,690.48

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 3 MI N AND A LITTLE E OF PAYNESVILLES.W.L. (AFTER CASING):**LOG ID:****009759**WELL TYPE

Private Well

DRILL DATE: 1946/11/23TOWNSHIPRANGESECTIONELEVATION:

573FT

DRILL DEPTH: 513FT

0

0

LG1709

DEPTH TO BED: 10FTUTM XUTM Y

681,980.89

4,350,939.48

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI N OF PAYNESVILLES.W.L. (AFTER CASING): 70**LOG ID:****011177**WELL TYPE

Private Well

DRILL DATE: 1947/10/11TOWNSHIPRANGESECTIONELEVATION:

579FT

DRILL DEPTH: 475FT

0

0

LG1709

DEPTH TO BED: 75FTUTM XUTM Y

681,070.88

4,350,019.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1.5 MI NW OF PAYNESVILLES.W.L. (AFTER CASING): 66



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026874**WELL TYPE

Private Well

DRILL DATE: 1969/04/23TOWNSHIPRANGESECTIONELEVATION:

644FT

DRILL DEPTH: 525FT

0

0

LG1709

DEPTH TO BED: 220FTUTM XUTM Y

680,081.87

4,356,189.57

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

NO SAMPLES LOGGED - TOPS ONLY

S.W.L. (AFTER CASING): 175**LOG ID:****025593**WELL TYPE

Private Well

DRILL DATE: 1967/02/17TOWNSHIPRANGESECTIONELEVATION:

515FT

DRILL DEPTH: 445FT

0

0

LG1755

DEPTH TO BED: 65FTUTM XUTM Y

681,876.89

4,355,133.56

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

SW OF CLARKSVILLE

S.W.L. (AFTER CASING): 60**LOG ID:****003699**WELL TYPE

Private Well

DRILL DATE: 1936/07/TOWNSHIPRANGESECTIONELEVATION:

627FT

DRILL DEPTH: 403FT

0

0

LG1762

DEPTH TO BED: 12FTUTM XUTM Y

674,366.78

4,349,759.40

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

NO SAMPLES TO 145'

S.W.L. (AFTER CASING): 55**LOG ID:****007987**WELL TYPE

Private Well

DRILL DATE: 1942//TOWNSHIPRANGESECTIONELEVATION:

725FT

DRILL DEPTH: 415FT

0

0

LG1762

DEPTH TO BED: 40FTUTM XUTM Y

669,044.72

4,354,353.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

SW OF DOVER

S.W.L. (AFTER CASING): 174



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026711

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1969/03/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	700FT
<u>DRILL DEPTH:</u>	385FT	0	0	LG1762	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				672,483.77	4,352,423.44
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	160					
<u>REMARKS:</u>	NEAR EOLIA , HWY D					

LOG ID:
004620

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1938/02/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	534FT
<u>DRILL DEPTH:</u>	502FT	0	0	LG2859	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				675,892.83	4,359,247.61
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	19					
<u>REMARKS:</u>	LUKADIA FARMS, CLARKSVILLE					

LOG ID:
000495

WELL TYPE
Unknown Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	824FT
<u>DRILL DEPTH:</u>	195FT	0	0	LG3131	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	140FT				671,898.69	4,344,593.28
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						
<u>REMARKS:</u>	TWO SAMPLES, NO UNITS IDENTIFIED					

LOG ID:
003792

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1936/09/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	808FT
<u>DRILL DEPTH:</u>	635FT	0	0	LG3131	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	115FT				673,671.76	4,348,153.36
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	230					
<u>REMARKS:</u>	CAVING TO 325'					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004339**WELL TYPE

Private Well

DRILL DATE: 1937/07/01TOWNSHIPRANGESECTIONELEVATION:

807FT

DRILL DEPTH: 127FT

0

0

LG3131

DEPTH TO BED: 65FTUTM XUTM Y

672,283.69

4,344,018.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.25 MI E OF EOLIA; "VERY DIFFICULT TO DRILL"S.W.L. (AFTER CASING): 80**LOG ID:****006790**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIPRANGESECTIONELEVATION:

769FT

DRILL DEPTH: 515FT

0

0

LG3131

DEPTH TO BED: 40FTUTM XUTM Y

674,325.76

4,346,379.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 210**LOG ID:****006918**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIPRANGESECTIONELEVATION:

783FT

DRILL DEPTH: 450FT

0

0

LG3131

DEPTH TO BED: 20FTUTM XUTM Y

671,592.72

4,346,573.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI NE OF EOLIAS.W.L. (AFTER CASING): 190**LOG ID:****011740**WELL TYPE

Private Well

DRILL DATE: 1951/05/04TOWNSHIPRANGESECTIONELEVATION:

847FT

DRILL DEPTH: 250FT

0

0

LG3131

DEPTH TO BED: 64FTUTM XUTM Y

671,908.71

4,345,549.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 61S.W.L. (AFTER CASING): 30

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024947

WELL TYPE
Private Well

DRILL DATE: 1966/09/24

TOWNSHIP RANGE SECTION

ELEVATION: 857FT

DRILL DEPTH: 445FT

0 0 LG3131

DEPTH TO BED: 105FT

UTM X UTM Y
671,477.70 4,345,512.29
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR EOLIA, NO RESIDUES

S.W.L. (AFTER CASING):

LOG ID:
027307

WELL TYPE
Private Well

DRILL DATE: 1970/05/15

TOWNSHIP RANGE SECTION

ELEVATION: 819FT

DRILL DEPTH: 425FT

0 0 LG3131

DEPTH TO BED: 105FT

UTM X UTM Y
671,758.69 4,344,862.28
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NO SAMPLES LOGGED - TOPS ONLY

S.W.L. (AFTER CASING): 210

LOG ID:
003768

WELL TYPE
Private Well

DRILL DATE: 1936/09/

TOWNSHIP RANGE SECTION

ELEVATION: 584FT

DRILL DEPTH: 358FT

0 0 LG702

DEPTH TO BED: 258FT

UTM X UTM Y
675,074.80 4,351,053.43
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: OLD WELL PUMPED DRY, DEEPENED 258-358'.

S.W.L. (AFTER CASING): 200

LOG ID:
004321

WELL TYPE
Private Well

DRILL DATE: 1937/05/

TOWNSHIP RANGE SECTION

ELEVATION: 609FT

DRILL DEPTH: 540FT

0 0 LG702

DEPTH TO BED: 25FT

UTM X UTM Y
679,624.86 4,350,720.45
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: DRY AT 225' AFTER CASING

S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012102**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1952/11/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	533FT
<u>DRILL DEPTH:</u>	420FT	0	0	LG702	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				677,314.83	4,351,319.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ON HWY WW 2.9 MI E OF JCT WITH HWY D			
<u>S.W.L. (AFTER CASING):</u>	15					

LOG ID:**012801**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/01/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	570FT
<u>DRILL DEPTH:</u>	530FT	0	0	LG702	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	190FT				679,549.86	4,351,599.47
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5.5 MI SW OF CLARKSVILLE			
<u>S.W.L. (AFTER CASING):</u>	90					

LOG ID:**023462**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	644FT
<u>DRILL DEPTH:</u>	471FT	0	0	LG702	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				675,781.81	4,351,661.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	YIELD - 12 GPM @ 268', 20 GPM @ TD			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**026583**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1970/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	535FT
<u>DRILL DEPTH:</u>	425FT	0	0	LG702	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				676,962.82	4,351,331.45
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	CLARKSVILLE			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027756

WELL TYPE
Private Well

DRILL DATE: _____ TOWNSHIP 51N RANGE 3W SECTION 18 ELEVATION: 630FT
DRILL DEPTH: 225FT UTM X 648,050.16 UTM Y 4,339,471.83
DEPTH TO BED: _____ ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: _____
S.W.L. (AFTER CASING): _____

LOG ID:
011772

WELL TYPE
Private Well

DRILL DATE: 1951/01/01 TOWNSHIP 51N RANGE 3W SECTION 22 ELEVATION: 608FT
DRILL DEPTH: 580FT UTM X 653,058.20 UTM Y 4,337,997.86
DEPTH TO BED: 115FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: @ BOWLING GREEN
S.W.L. (AFTER CASING): 375

LOG ID:
024952

WELL TYPE
Private Well

DRILL DATE: 1966/09/21 TOWNSHIP 51N RANGE 3W SECTION 29 ELEVATION: 685FT
DRILL DEPTH: 205FT UTM X 649,099.12 UTM Y 4,336,864.78
DEPTH TO BED: 65FT ZONE 15
S.W.L. (BEFORE CASING): _____ REMARKS: NEAR HAWK POINT
S.W.L. (AFTER CASING): _____

LOG ID:
025527

WELL TYPE
Private Well

DRILL DATE: 1967/07/14 TOWNSHIP 51N RANGE 3W SECTION 31 ELEVATION: 718FT
DRILL DEPTH: 385FT UTM X 648,515.07 UTM Y 4,334,512.72
DEPTH TO BED: 125FT ZONE 15
S.W.L. (BEFORE CASING): _____ FT REMARKS: NEAR MIDDLETOWN; 2 GPM @ 135', 1 GPM @ 215'
S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025207**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	704FT
<u>DRILL DEPTH:</u>	245FT	51N	4W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				646,885.14	4,339,109.81
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70					

REMARKS:**LOG ID:****004792**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	225FT	51N	4W	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				642,411.14	4,341,183.81
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	125					

REMARKS: RUNS 3.5 GPM AFTER BAILING DRY, BAILED DRY @ 9.5 GPM IN 1 HR 20 MIN**LOG ID:****010991**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	496FT
<u>DRILL DEPTH:</u>	345FT	52N	1E	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				684,878.93	4,353,320.55
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:**LOG ID:****006533**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	588FT
<u>DRILL DEPTH:</u>	571FT	52N	1E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				683,180.91	4,350,939.49
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	95					

REMARKS: NEAR KISSINGER



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021579**WELL TYPE

Private Well

DRILL DATE: 1963/03/12TOWNSHIPRANGESECTIONELEVATION:

592FT

DRILL DEPTH: 496FT

52N

1E

14

DEPTH TO BED: 10FTUTM XUTM Y

683,558.91

4,349,054.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W OF ANNADA ON HWY HS.W.L. (AFTER CASING): 240**LOG ID:****004264**WELL TYPE

Private Well

DRILL DATE: 1937/05/TOWNSHIPRANGESECTIONELEVATION:

583FT

DRILL DEPTH: 500FT

52N

1E

17

DEPTH TO BED: 115FTUTM XUTM Y

679,873.86

4,349,044.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ABT 1.5 MI NW OF PAYNESVILLES.W.L. (AFTER CASING): 80**LOG ID:****008812**WELL TYPE

Private Well

DRILL DATE: 1943/11/24TOWNSHIPRANGESECTIONELEVATION:

740FT

DRILL DEPTH: 433FT

52N

1W

17

DEPTH TO BED: 20FTUTM XUTM Y

670,127.71

4,349,612.35

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF HWY D, 4 MI N OF EOLIAS.W.L. (AFTER CASING): 175**LOG ID:****009873**WELL TYPE

Private Well

DRILL DATE: 1946/09/11TOWNSHIPRANGESECTIONELEVATION:

637FT

DRILL DEPTH: 435FT

52N

1W

2

DEPTH TO BED: 20FTUTM XUTM Y

674,701.80

4,353,004.47

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 52 PRAIRIEVILLE, CLARKSVILLES.W.L. (AFTER CASING): 110

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003780

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1936//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	662FT
<u>DRILL DEPTH:</u>	542FT	52N	1E	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				680,980.87	4,347,297.39
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	135					
	FT	<u>REMARKS:</u> @ PAYNESVILLE				

LOG ID:
006334

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	557FT
<u>DRILL DEPTH:</u>	451FT	52N	1E	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				681,280.88	4,348,127.41
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					
	FT	<u>REMARKS:</u> @ PAYNESVILLE; OLD WELL DEEPENED - NATURAL GAS 230-395'				

LOG ID:
010921

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1949/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	631FT
<u>DRILL DEPTH:</u>	470FT	52N	1E	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	150FT				680,980.87	4,347,711.40
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	105					
	FT	<u>REMARKS:</u> IN PAYNESVILLE				

LOG ID:
004652

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1937/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	581FT
<u>DRILL DEPTH:</u>	500FT	52N	1E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				682,143.89	4,347,618.41
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	70					
	FT	<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006344**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	586FT
<u>DRILL DEPTH:</u>	483FT	52N	1E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				682,543.90	4,347,830.42
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	75	<u>REMARKS:</u>	#2 HARRIS WELL			

LOG ID:**007362**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1941//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	655FT
<u>DRILL DEPTH:</u>	557FT	52N	1E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				681,743.89	4,348,044.41
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	147	<u>REMARKS:</u>	0.25 MI E OF PAYNESVILLE, ORCHARD WELL			

LOG ID:**010334**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	553FT
<u>DRILL DEPTH:</u>	420FT	52N	1E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				682,943.90	4,348,470.43
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	41	<u>REMARKS:</u>	C. DUVAL WELL, 1 MI E OF PAYNESVILLE			

LOG ID:**010922**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	634FT
<u>DRILL DEPTH:</u>	495FT	52N	1E	22	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	85FT				682,243.89	4,347,192.40
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	141	<u>REMARKS:</u>	#2 WOLF, 1 MI E OF PAYNESVILLE			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010336

WELL TYPE
Private Well

DRILL DATE: 1948/07/ TOWNSHIP 52N RANGE 1E SECTION 23 ELEVATION: 501FT
DRILL DEPTH: 390FT UTM X 683,483.91 UTM Y 4,348,149.43
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: CHARLES DUVAL WELL, 2 MI E OF PAYNESVILLE
S.W.L. (AFTER CASING): 4

LOG ID:
004793

WELL TYPE
Private Well

DRILL DATE: 1938/04/ TOWNSHIP 52N RANGE 1E SECTION 26 ELEVATION: 472FT
DRILL DEPTH: 402FT UTM X 683,606.91 UTM Y 4,347,034.41
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "PUMPKIN CENTER"
S.W.L. (AFTER CASING):

LOG ID:
006438

WELL TYPE
Private Well

DRILL DATE: 1940// TOWNSHIP 52N RANGE 1E SECTION 27 ELEVATION: 500FT
DRILL DEPTH: 400FT UTM X 682,546.90 UTM Y 4,346,626.39
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NEAR PAYNESVILLE
S.W.L. (AFTER CASING):

LOG ID:
010411

WELL TYPE
Private Well

DRILL DATE: 1948/08/15 TOWNSHIP 52N RANGE 1E SECTION 27 ELEVATION: 486FT
DRILL DEPTH: 400FT UTM X 681,946.88 UTM Y 4,345,772.38
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: GENTRY WELL #2
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010920**WELL TYPE

Private Well

DRILL DATE: 1949// TOWNSHIP 52N RANGE 1E SECTION 27 ELEVATION: 506FT
DRILL DEPTH: 340FT UTM X 682,746.90 UTM Y 4,346,200.39
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 3 MI S OF PAYNESVILLE @ GENTRY CATTLE BARN
S.W.L. (AFTER CASING): 5

LOG ID:**007942**WELL TYPE

Private Well

DRILL DATE: 1942// TOWNSHIP 52N RANGE 1E SECTION 34 ELEVATION: 487FT
DRILL DEPTH: 355FT UTM X 681,758.87 UTM Y 4,345,071.37
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 1.75 MI S OF PAYNESVILLE
S.W.L. (AFTER CASING):

LOG ID:**009620**WELL TYPE

Private Well

DRILL DATE: 1946/09/26 TOWNSHIP 52N RANGE 1E SECTION 34 ELEVATION: 483FT
DRILL DEPTH: 360FT UTM X 681,809.87 UTM Y 4,345,410.37
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI S OF PAYNESVILLE
S.W.L. (AFTER CASING): 24

LOG ID:**024174**WELL TYPE

Private Well

DRILL DATE: 1966/02/18 TOWNSHIP 52N RANGE 2W SECTION 10 ELEVATION: 855FT
DRILL DEPTH: 680FT UTM X 663,613.59 UTM Y 4,350,813.30
DEPTH TO BED: 70FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO RESIDUES
S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

WELL TYPE
Private Well

ELEVATION: 884FT

UTM X UTM Y

659,531.53 4,352,832.31
ZONE 15

REMARKS: BETWEEN CYRENE & BOWLING GREEN; OLD 100' WELL
DEEPENED TO 665'

S.W.L. (AFTER CASING): 400

WELL TYPE
Private Well

ELEVATION: 874FT

UTM X UTM Y

659,731.53 4,352,212.30
ZONE 15

REMARKS: NO RESIDUES

S.W.L. (AFTER CASING):

WELL TYPE
Oil Well

ELEVATION: 776FT

UTM X UTM Y

659,537.52 4,351,602.28
ZONE 15

REMARKS: #1 C. LEUBRECHT, 3.5 MI S & E OF BOWLING GREEN

S.W.L. (AFTER CASING):

WELL TYPE
Community Public Well

ELEVATION: 825FT

UTM X UTM Y

653,705.40 4,349,887.17
ZONE 15

REMARKS: 4 MI S OF BOWLING GREEN

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013809**WELL TYPE

Private Well

DRILL DATE: 1955/08/11TOWNSHIP RANGE SECTIONELEVATION: 818FTDRILL DEPTH: 70FT

52N

3W

2

DEPTH TO BED:UTM XUTM Y654,494.44 4,352,618.25
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 70' OF PERFERATED CASINGS.W.L. (AFTER CASING): 30**LOG ID:****021778**WELL TYPE

Oil Well

DRILL DATE: 1963/07/17TOWNSHIP RANGE SECTIONELEVATION: 749FTDRILL DEPTH: 255FT

52N

3W

9

DEPTH TO BED: 10FTUTM XUTM Y651,702.36 4,350,179.15
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 ORF; 3.8 MI SW OF BOWLING GREEN, OIL TESTS.W.L. (AFTER CASING):**LOG ID:****012659**WELL TYPE

Private Well

DRILL DATE: 1953/09/10TOWNSHIP RANGE SECTIONELEVATION: 756FTDRILL DEPTH: 70FT

52N

4W

13

DEPTH TO BED:UTM XUTM Y646,398.29 4,349,028.06
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 10 MI SW OF BOWLING GREENS.W.L. (AFTER CASING): 50**LOG ID:****021511**WELL TYPE

Private Well

DRILL DATE: 1962/11/01TOWNSHIP RANGE SECTIONELEVATION: 745FTDRILL DEPTH: 200FT

52N

4W

20

DEPTH TO BED: 65FTUTM XUTM Y640,253.21 4,347,042.93
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 100

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
013594

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/06/18	<u>TOWNSHIP</u>	52N	<u>RANGE</u>	4W	<u>SECTION</u>	21	<u>ELEVATION:</u>	720FT
<u>DRILL DEPTH:</u>	270FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT							641,490.23	4,348,068.97
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	8 MI S OF CURRYVILLE; "NO RADIOACTIVITY IN SAMPLES BY GEIGER COUNTER"				
<u>S.W.L. (AFTER CASING):</u>	45								

LOG ID:
021995

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1963/07/12	<u>TOWNSHIP</u>	52N	<u>RANGE</u>	4W	<u>SECTION</u>	21	<u>ELEVATION:</u>	725FT
<u>DRILL DEPTH:</u>	220FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT							641,190.23	4,348,173.97
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>	6 MI S OF CURRYVILLE ON HWY M TO MWY V, 0.5 MI TO 1ST RT RD, 1ST L HS				
<u>S.W.L. (AFTER CASING):</u>	60								

LOG ID:
013978

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/08/09	<u>TOWNSHIP</u>	52N	<u>RANGE</u>	4W	<u>SECTION</u>	24	<u>ELEVATION:</u>	726FT
<u>DRILL DEPTH:</u>	135FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT							646,390.28	4,347,627.01
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT		<u>REMARKS:</u>					
<u>S.W.L. (AFTER CASING):</u>	35								

LOG ID:
026485

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1968/08/20	<u>TOWNSHIP</u>	52N	<u>RANGE</u>	4W	<u>SECTION</u>	25	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	445FT							<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT							647,429.27	4,345,510.97
								ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>				<u>REMARKS:</u>					
<u>S.W.L. (AFTER CASING):</u>									



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012094**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1952//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	674FT
<u>DRILL DEPTH:</u>	140FT	52N	4W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				644,953.25	4,346,402.96
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	120					

REMARKS:**LOG ID:****021401**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/05/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	720FT
<u>DRILL DEPTH:</u>	204FT	52N	4W	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				641,274.22	4,346,648.93
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	80					

REMARKS: YIELD - 10 GPM @ 180'**LOG ID:****021886**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/06/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	781FT
<u>DRILL DEPTH:</u>	454FT	52N	4W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	125FT				642,990.29	4,352,689.12
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	220					

REMARKS: 3 MI S OF CURRYVILLE ON HWY M; YIELD - 20 GPM @ 240'**LOG ID:****020892**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/05/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	280FT	52N	4W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	195FT				639,531.16	4,344,097.84
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS: OLD WELL DEEPENED



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003761**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	728FT
<u>DRILL DEPTH:</u>	179FT	52N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				642,074.20	4,344,587.88
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	60					

REMARKS:**LOG ID:****003894**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	734FT
<u>DRILL DEPTH:</u>	122FT	52N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				641,474.19	4,344,381.87
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50					

REMARKS:**LOG ID:****003895**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	723FT
<u>DRILL DEPTH:</u>	130FT	52N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				641,074.19	4,344,587.87
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	40					

REMARKS:**LOG ID:****013311**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/12/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	714FT
<u>DRILL DEPTH:</u>	175FT	52N	4W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				641,874.19	4,344,587.88
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	55					

REMARKS: 8 MI S OF CURRYVILLE



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023465**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH:

115FT

52N

4W

7

UTM XUTM YDEPTH TO BED:

70FT

638,535.22

4,349,996.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI SE OF VANDALIA; WIDE 1 X 1.18 MI SECTIONS.W.L. (AFTER CASING):**LOG ID:****013182**WELL TYPE

Private Well

DRILL DATE:

1954/11/11

TOWNSHIPRANGESECTIONELEVATION:

626FT

DRILL DEPTH:

550FT

53N

1W

12

UTM XUTM YDEPTH TO BED:

10FT

675,053.83

4,361,024.64

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SAMPLES 15-175 MAY BE MIXEDS.W.L. (AFTER CASING):

150

LOG ID:**002306**WELL TYPE

Community Public Well

DRILL DATE:

1930/07/

TOWNSHIPRANGESECTIONELEVATION:

459FT

DRILL DEPTH:

500FT

53N

1E

16

UTM XUTM YDEPTH TO BED:

15FT

680,711.88

4,359,604.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****002938**WELL TYPE

Private Well

DRILL DATE:

1934/08/

TOWNSHIPRANGESECTIONELEVATION:

643FT

DRILL DEPTH:

455FT

53N

1W

16

UTM XUTM YDEPTH TO BED:

15FT

670,624.78

4,359,866.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

40



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009352**WELL TYPE

Private Well

DRILL DATE: 1946// TOWNSHIP 53N RANGE 1W SECTION 16 ELEVATION: 632FT
DRILL DEPTH: 440FT UTM X 670,624.77 UTM Y 4,359,036.56
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI S OF LOUISIANA, 0.25 MI S OF STARK
S.W.L. (AFTER CASING):

LOG ID:**013052**WELL TYPE

Community Public Well

DRILL DATE: 1954/10/ TOWNSHIP 53N RANGE 1E SECTION 16 ELEVATION: 465FT
DRILL DEPTH: 450FT UTM X 680,695.88 UTM Y 4,359,361.64
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 15

LOG ID:**017305**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1958/05/31 TOWNSHIP 53N RANGE 1E SECTION 16 ELEVATION:
DRILL DEPTH: 740FT UTM X 680,081.87 UTM Y 4,358,813.63
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: HILL N OF CEMETARY IN CLARKSVILLE; SAMPLES 10-65'
S.W.L. (AFTER CASING): 265 REVERSED ON LOG

LOG ID:**024272**WELL TYPE

Community Public Well

DRILL DATE: 1966/06/ TOWNSHIP 53N RANGE 1E SECTION 16 ELEVATION: 459FT
DRILL DEPTH: 650FT UTM X 680,781.88 UTM Y 4,359,441.64
DEPTH TO BED: 3FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: AIR ROTARY SAMPLES - POOR
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025069**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1967/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	451FT
<u>DRILL DEPTH:</u>	590FT	53N	1E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	555FT				680,781.88	4,359,531.65
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	OLD WELL DEEPENED 555-590'			

LOG ID:**028629**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1985/06/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	486FT
<u>DRILL DEPTH:</u>	560FT	53N	1E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				680,440.88	4,359,157.64
<u>S.W.L. (BEFORE CASING):</u>	75	FT	<u>REMARKS:</u>	ZONE 15		
<u>S.W.L. (AFTER CASING):</u>	82	FT				

LOG ID:**028955**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	2003/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	440FT
<u>DRILL DEPTH:</u>	575FT	53N	1E	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					680,681.88	4,359,351.64
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	ZONE 15		
<u>S.W.L. (AFTER CASING):</u>	75					

LOG ID:**000232**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1905//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	828FT
<u>DRILL DEPTH:</u>	833FT	53N	1E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				678,972.86	4,359,232.63
<u>S.W.L. (BEFORE CASING):</u>			<u>REMARKS:</u>	ZONE 15		
<u>S.W.L. (AFTER CASING):</u>			"ABANDONED - CASING VISIBLE" 1940			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020165**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

680FT

DRILL DEPTH:

635FT

53N

1E

17

DEPTH TO BED:

25FT

UTM XUTM Y

679,672.87

4,358,729.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 0.75 MI SW OF CLARKSVILLES.W.L. (AFTER CASING):**LOG ID:****009354**WELL TYPE

Private Well

DRILL DATE:

1947/11/26

TOWNSHIPRANGESECTIONELEVATION:

484FT

DRILL DEPTH:

450FT

53N

1E

18

DEPTH TO BED:

75FT

UTM XUTM Y

677,734.85

4,359,853.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI W OF CLARKSVILLES.W.L. (AFTER CASING):**LOG ID:****009369**WELL TYPE

Private Well

DRILL DATE:

1946/01/05

TOWNSHIPRANGESECTIONELEVATION:

480FT

DRILL DEPTH:

460FT

53N

1E

18

DEPTH TO BED:

45FT

UTM XUTM Y

677,934.86

4,359,641.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI SW OF CLARKSVILLE, 0.5 MI S OF HWY 79S.W.L. (AFTER CASING):**LOG ID:****004763**WELL TYPE

Private Well

DRILL DATE:

1938//

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

535FT

53N

1E

20

DEPTH TO BED:

50FT

UTM XUTM Y

678,578.86

4,357,804.59

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: #1 STEELE- POOR SAMPLESS.W.L. (AFTER CASING):

90



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023188**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

525FT

DRILL DEPTH:

434FT

53N

1E

20

DEPTH TO BED:

30FT

UTM XUTM Y

679,771.87

4,358,320.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

SAMPLES MIXED - POOR LOG

S.W.L. (AFTER CASING):**LOG ID:****026360**WELL TYPE

Private Well

DRILL DATE:

1969/09/

TOWNSHIPRANGESECTIONELEVATION:

575FT

DRILL DEPTH:

585FT

53N

1E

20

DEPTH TO BED:

45FT

UTM XUTM Y

678,778.86

4,357,694.59

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024388**WELL TYPE

Private Well

DRILL DATE:

1966/03/12

TOWNSHIPRANGESECTIONELEVATION:

725FT

DRILL DEPTH:

445FT

53N

1W

21

DEPTH TO BED:

40FT

UTM XUTM Y

670,659.76

4,356,780.51

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****009949**WELL TYPE

Private Well

DRILL DATE:

1946/08/

TOWNSHIPRANGESECTIONELEVATION:

490FT

DRILL DEPTH:

406FT

53N

1W

24

DEPTH TO BED:

45FT

UTM XUTM Y

676,537.84

4,357,821.58

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

4 MI SW OF CLARKSVILLE; FLOWS 7 GPM

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006426**WELL TYPE

Private Well

DRILL DATE: 1940/10/ TOWNSHIP 53N RANGE 1W SECTION 26 ELEVATION: 551FT
DRILL DEPTH: 435FT UTM X 673,726.80 UTM Y 4,356,270.53
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ICE HOUSE, NW OF CLARKSVILLE
S.W.L. (AFTER CASING): 22

LOG ID:**023191**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 53N RANGE 1W SECTION 27 ELEVATION: 564FT
DRILL DEPTH: 330FT UTM X 672,009.77 UTM Y 4,355,201.49
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: HWY N, CLARKSVILLE
S.W.L. (AFTER CASING):

LOG ID:**012796**WELL TYPE

Private Well

DRILL DATE: 1953/12/29 TOWNSHIP 53N RANGE 1E SECTION 32 ELEVATION: 644FT
DRILL DEPTH: 655FT UTM X 679,431.86 UTM Y 4,354,422.53
DEPTH TO BED: 130FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI S OF CLARKSVILLE; SAMPLES BADLY MIXED - LOG
S.W.L. (AFTER CASING): 170 UNUSABLE

LOG ID:**013361**WELL TYPE

Private Well

DRILL DATE: 1955/02/28 TOWNSHIP 53N RANGE 1E SECTION 32 ELEVATION: 588FT
DRILL DEPTH: 576FT UTM X 679,831.87 UTM Y 4,353,882.52
DEPTH TO BED: 90FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 4 MI S OF CLARKSVILLE ON HWY W, ACROSS RD FROM MACKEY
S.W.L. (AFTER CASING): WELL #12796



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020899**WELL TYPE

Private Well

DRILL DATE: 1962/05/25TOWNSHIP RANGE SECTIONELEVATION: 653FTDRILL DEPTH: 533FT

53N 1E 32

DEPTH TO BED: 12FTUTM X UTM Y
679,031.86 4,354,558.53
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 3.5 MI SW OF CLARKSVILLE ON HWY WS.W.L. (AFTER CASING):**LOG ID:****021191**WELL TYPE

Private Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 702FTDRILL DEPTH: 375FT

53N 1W 32

DEPTH TO BED: 35FTUTM X UTM Y
668,844.71 4,354,353.44
ZONE 15S.W.L. (BEFORE CASING):REMARKS: @ CLARKSVILLES.W.L. (AFTER CASING):**LOG ID:****010300**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 571FTDRILL DEPTH: 12FT

53N 1E 35

DEPTH TO BED:UTM X UTM Y
684,181.92 4,354,394.56
ZONE 15S.W.L. (BEFORE CASING):REMARKS: STOP 29, KGS 15TH ANN FIELD CONF.S.W.L. (AFTER CASING):**LOG ID:****026387**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1967/10/24TOWNSHIP RANGE SECTIONELEVATION: 604FTDRILL DEPTH: 325FT

53N 1W 35

DEPTH TO BED: 45FTUTM X UTM Y
673,760.79 4,354,635.49
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Resort Clubhouse Well - formerly in name of Pipefitters Local Union
#562 Well #1 - 4 MI N & W OF CLARKSVILLE; 2.5 GPM @ 280', 17.5S.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026403**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1968/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	592FT
<u>DRILL DEPTH:</u>	345FT	53N	1W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	45FT				673,760.79	4,354,821.50
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	FOR SWIMMING POOL, NEAR CLARKSVILLE - formerly in name of			
<u>S.W.L. (AFTER CASING):</u>	70		Pipefitters Local Union #562			

LOG ID:**026888**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1968/11/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	606FT
<u>DRILL DEPTH:</u>	365FT	53N	1W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				673,660.79	4,354,543.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Resort Lodge Well - formerly in name of Pipefitters Local Union #562			
<u>S.W.L. (AFTER CASING):</u>			(Education & Recreation Bldg) - NEAR CLARKSVILLE; 6 GPM @ 305',			

LOG ID:**011502**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1950/06/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	622FT
<u>DRILL DEPTH:</u>	320FT	53N	1W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	60FT				669,053.76	4,360,946.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	#1 WAKEFIELD, NEAR LOUISIANA			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**011622**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1951/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	617FT
<u>DRILL DEPTH:</u>	423FT	53N	1W	8	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				669,153.76	4,360,841.59
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OAKLAND SCHOOL			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022524**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

480FT

DRILL DEPTH:

390FT

53N

1E

8

UTM XUTM YDEPTH TO BED:

20FT

678,914.87

4,360,466.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****024926**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1966/07/18

TOWNSHIPRANGESECTIONELEVATION:

484FT

DRILL DEPTH:

405FT

53N

1E

8

UTM XUTM YDEPTH TO BED:

105FT

679,114.87

4,360,549.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: BARGER FARM, NEAR CLARKSVILLE - NO RESIDUESS.W.L. (AFTER CASING):**LOG ID:****024927**WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1966/07/15

TOWNSHIPRANGESECTIONELEVATION:

477FT

DRILL DEPTH:

405FT

53N

1E

8

UTM XUTM YDEPTH TO BED:

100FT

679,114.87

4,360,549.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026385**WELL TYPE

Private Well

DRILL DATE:

1968/01/

TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH:

405FT

53N

1E

8

UTM XUTM YDEPTH TO BED:

55FT

679,314.87

4,360,881.66

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NEAR CLARKSVILLE; YIELDS - 0.5 GPM @ 220', 2.5 @ 375', 17 @ 400'S.W.L. (AFTER CASING): 20

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010299

WELL TYPE
Outcrop Description

DRILL DATE: 1948/09/ TOWNSHIP 53N RANGE 1E SECTION 9 ELEVATION: 581FT
DRILL DEPTH: 20FT UTM X 680,095.88 UTM Y 4,360,327.66
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: STOP 30, KGS 15TH ANN FIELD CONF.
S.W.L. (AFTER CASING):

LOG ID:
005955

WELL TYPE
Private Well

DRILL DATE: 1940/04/ TOWNSHIP 53N RANGE 2W SECTION 1 ELEVATION: 536FT
DRILL DEPTH: 310FT UTM X 666,693.72 UTM Y 4,361,541.59
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRILLERS LOG TO 220'
S.W.L. (AFTER CASING):

LOG ID:
012154

WELL TYPE
Private Well

DRILL DATE: 1952/05/28 TOWNSHIP 53N RANGE 2W SECTION 12 ELEVATION: 570FT
DRILL DEPTH: 420FT UTM X 666,325.71 UTM Y 4,361,375.58
DEPTH TO BED: 80FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI S OF STARK NURSERY
S.W.L. (AFTER CASING): 51

LOG ID:
017974

WELL TYPE
Private Well

DRILL DATE: 1958/12/30 TOWNSHIP 53N RANGE 2W SECTION 16 ELEVATION: 647FT
DRILL DEPTH: 400FT UTM X 661,499.61 UTM Y 4,358,271.47
DEPTH TO BED: 100FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI NE OF BOWLING GREEN, 0.5 MI S OF HWY 54 @ VERA LAKE
S.W.L. (AFTER CASING): 125



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018455**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

689FT

DRILL DEPTH:

390FT

53N

2W

17

DEPTH TO BED:

20FT

UTM XUTM Y

660,257.60

4,359,515.49

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

1.25 MI S OF HWY 54 @ VERA LAKE

S.W.L. (AFTER CASING):

125

LOG ID:**025243**WELL TYPE

Private Well

DRILL DATE:

1967/04/14

TOWNSHIPRANGESECTIONELEVATION:

610FT

DRILL DEPTH:

425FT

53N

2W

2

DEPTH TO BED:

85FT

UTM XUTM Y

664,277.68

4,361,748.58

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

BETWEEN BOWLING GREEN & LOUISIANA

S.W.L. (AFTER CASING):

90

LOG ID:**015683**WELL TYPE

Private Well

DRILL DATE:

1956/12/31

TOWNSHIPRANGESECTIONELEVATION:

721FT

DRILL DEPTH:

460FT

53N

2W

20

DEPTH TO BED:

40FT

UTM XUTM Y

658,879.56

4,357,894.44

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

180

LOG ID:**017806**WELL TYPE

Private Well

DRILL DATE:

1958/10/

TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

80FT

53N

2W

34

DEPTH TO BED:

55FT

UTM XUTM Y

663,412.61

4,354,281.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

4 MI SW OF LOUISIANA ON HWY 54

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
023345

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 570FT
53N 2W 7
DRILL DEPTH: 230FT UTM X UTM Y
DEPTH TO BED: 10FT 658,450.57 4,359,868.49
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
015684

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1956/07/ TOWNSHIP RANGE SECTION ELEVATION: 723FT
53N 3W 13
DRILL DEPTH: 385FT UTM X UTM Y
DEPTH TO BED: 110FT 655,251.52 4,359,726.46
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
028609

WELL TYPE
Oil Well

DRILL DATE: 1983/06/10 TOWNSHIP RANGE SECTION ELEVATION: 838FT
53N 3W 16
DRILL DEPTH: 1,040FT UTM X UTM Y
DEPTH TO BED: 60FT 650,774.44 4,359,083.41
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 BEDDIES; 10-FT SAMPLES, TO 660'
S.W.L. (AFTER CASING):

LOG ID:
004228

WELL TYPE
Private Well

DRILL DATE: 1936/09/ TOWNSHIP RANGE SECTION ELEVATION: 866FT
53N 3W 23
DRILL DEPTH: 625FT UTM X UTM Y
DEPTH TO BED: 155FT 653,635.47 4,357,425.38
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: @ BOWLING GREEN, 0.5 MI W OF JCH HWYS 61 & 54
S.W.L. (AFTER CASING): 43



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020920**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1962/05/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	811FT
<u>DRILL DEPTH:</u>	360FT	53N	3W	23	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				654,835.49	4,357,825.40
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.25 MI E OF HWY 61 ON N SD HWY 54, BOWLING GREEN			
<u>S.W.L. (AFTER CASING):</u>	290					

LOG ID:**002146**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1926/07/13	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	878FT
<u>DRILL DEPTH:</u>	771FT	53N	3W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				655,479.49	4,355,867.35
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CITY LOT; YIELD = PUMP CAPACITY; DRY HOLE TO 681'; "MINERAL WATER"			
<u>S.W.L. (AFTER CASING):</u>	300					

LOG ID:**000416**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	872FT
<u>DRILL DEPTH:</u>	520FT	53N	3W	26	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				654,658.47	4,355,415.33
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WELL ABANDONED - NO WATER, @ BOWLING GREEN; VERY POOR LOG			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**027477**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	835FT
<u>DRILL DEPTH:</u>	355FT	53N	3W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				652,530.49	4,361,430.49
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	250					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
024666

WELL TYPE
Private Well

DRILL DATE: 1966/10/20

TOWNSHIP RANGE SECTION

ELEVATION: 800FT

DRILL DEPTH: 180FT

53N

3W

5

DEPTH TO BED: 105FT

UTM X

UTM Y

649,509.45 4,362,330.49
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 4 MI N, 1.5 MI W OF BOWLING GREEN

S.W.L. (AFTER CASING):

LOG ID:
025982

WELL TYPE
Private Well

DRILL DATE: 1967/05/29

TOWNSHIP RANGE SECTION

ELEVATION: 802FT

DRILL DEPTH: 189FT

53N

3W

5

DEPTH TO BED: 105FT

UTM X

UTM Y

649,609.45 4,362,330.49
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: @ BOWLING GREEN, ABT 5 MI NW OF HWY 61

S.W.L. (AFTER CASING): 160

LOG ID:
025818

WELL TYPE
Private Well

DRILL DATE: 1967/06/27

TOWNSHIP RANGE SECTION

ELEVATION: 810FT

DRILL DEPTH: 190FT

53N

3W

8

DEPTH TO BED: 90FT

UTM X

UTM Y

649,925.45 4,360,987.45
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 4.5 MI NW OF BOWLING GREEN OFF HWY 61

S.W.L. (AFTER CASING):

LOG ID:
026495

WELL TYPE
Private Well

DRILL DATE: 1966/07/18

TOWNSHIP RANGE SECTION

ELEVATION: 816FT

DRILL DEPTH: 180FT

53N

3W

8

DEPTH TO BED: 45FT

UTM X

UTM Y

649,725.44 4,361,193.45
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025181**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1967/08/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	814FT
<u>DRILL DEPTH:</u>	385FT	53N	4W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	90FT				643,113.37	4,360,561.35
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NEAR CURRYVILLE			

LOG ID:**025187**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1967/08/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	814FT
<u>DRILL DEPTH:</u>	385FT	53N	4W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	95FT				643,213.37	4,360,667.35
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	SALT WATEER			

LOG ID:**025188**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1967/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	814FT
<u>DRILL DEPTH:</u>	395FT	53N	4W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	105FT				643,113.37	4,360,773.35
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:**023991**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1966//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	841FT
<u>DRILL DEPTH:</u>	430FT	53N	4W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	145FT				646,775.41	4,361,151.41
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012583**WELL TYPE

Community Public Well

DRILL DATE: 1953/09/28TOWNSHIPRANGESECTIONELEVATION:

817FT

DRILL DEPTH: 425FT

53N

4W

22

DEPTH TO BED: 70FTUTM XUTM Y

643,149.33

4,356,497.23

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 BLKS FROM HWY 54S.W.L. (AFTER CASING): 250**LOG ID:****015456**WELL TYPE

Community Public Well

DRILL DATE: 1956/12/TOWNSHIPRANGESECTIONELEVATION:

829FT

DRILL DEPTH: 450FT

53N

4W

27

DEPTH TO BED: 50FTUTM XUTM Y

642,851.31

4,354,982.18

ZONE 15

S.W.L. (BEFORE CASING): 85REMARKS:S.W.L. (AFTER CASING): FT**LOG ID:****026128**WELL TYPE

Community Public Well

DRILL DATE: 1969/04/TOWNSHIPRANGESECTIONELEVATION:

793FT

DRILL DEPTH: 360FT

53N

4W

28

DEPTH TO BED: 55FTUTM XUTM Y

642,315.32

4,356,335.22

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 225**LOG ID:****024899**WELL TYPE

Private Well

DRILL DATE: 1966/09/20TOWNSHIPRANGESECTIONELEVATION:

780FT

DRILL DEPTH: 345FT

53N

4W

29

DEPTH TO BED: 95FTUTM XUTM Y

640,872.30

4,356,353.20

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024334**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

796FT

DRILL DEPTH:

300FT

53N

4W

32

DEPTH TO BED:

85FT

UTM XUTM Y

640,895.29

4,354,739.15

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012093**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

752FT

DRILL DEPTH:

225FT

53N

4W

7

DEPTH TO BED:

30FT

UTM XUTM Y

638,879.31

4,359,693.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI W, 2 MI N OF CURRYVILLES.W.L. (AFTER CASING):

45

LOG ID:**023990**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

757FT

DRILL DEPTH:

345FT

53N

4W

7

DEPTH TO BED:

65FT

UTM XUTM Y

638,479.32

4,360,607.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****012090**WELL TYPE

Private Well

DRILL DATE:

1952/08/21

TOWNSHIPRANGESECTIONELEVATION:

790FT

DRILL DEPTH:

300FT

53N

5W

22

DEPTH TO BED:

50FT

UTM XUTM Y

634,148.25

4,358,063.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.5 MI W OF HWY 54, 1 MI N OF HWY 154S.W.L. (AFTER CASING):

250

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010308**WELL TYPE

Outcrop Description

DRILL DATE: 1948/09/ TOWNSHIP 54N RANGE 1W SECTION 20 ELEVATION: 479FT
DRILL DEPTH: 13FT UTM X 668,466.79 UTM Y 4,367,827.74
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: STOP 31, KGS 15TH ANN FIELD CONF.
S.W.L. (AFTER CASING):

LOG ID:**004982**WELL TYPE

Private Well

DRILL DATE: 1938/08/ TOWNSHIP 54N RANGE 1W SECTION 32 ELEVATION: 487FT
DRILL DEPTH: 297FT UTM X 669,317.78 UTM Y 4,364,460.67
DEPTH TO BED: 290FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: ON HWY D; WATER MINERALIZED
S.W.L. (AFTER CASING): 22

LOG ID:**006567**WELL TYPE

Private Well

DRILL DATE: 1940/12/ TOWNSHIP 54N RANGE 1W SECTION 34 ELEVATION: 618FT
DRILL DEPTH: 528FT UTM X 673,174.83 UTM Y 4,364,735.70
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 150

LOG ID:**023255**WELL TYPE

Private Well

DRILL DATE: TOWNSHIP 54N RANGE 2W SECTION 10 ELEVATION: 470FT
DRILL DEPTH: 365FT UTM X 663,332.73 UTM Y 4,370,802.79
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LOUISIANA
S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002997

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1934/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	743FT
		54N	2W	12		
<u>DRILL DEPTH:</u>	720FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	620FT				666,541.77	4,369,580.77
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OLD WELL DEEPEMED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
007982

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1942/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	558FT
		54N	2W	25		
<u>DRILL DEPTH:</u>	380FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				665,646.73	4,365,142.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	"CAN PUMP DRY IN 1 HR @ 5 GPM"			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
010179

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1948/06/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	578FT
		54N	2W	25		
<u>DRILL DEPTH:</u>	525FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				665,746.73	4,365,142.67
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	1/8 MI E OF #1 (#7982); MINERALIZED WATER BELOW 200'			
<u>S.W.L. (AFTER CASING):</u>	65					

LOG ID:
025590

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1967/09/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	552FT
		54N	2W	27		
<u>DRILL DEPTH:</u>	365FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	100FT				662,520.68	4,364,803.64
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	3 MI SW OF LOUISIANA			
<u>S.W.L. (AFTER CASING):</u>	50					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
025511

WELL TYPE
Private Well

DRILL DATE: 1967/09/27

TOWNSHIP RANGE SECTION

ELEVATION: 700FT

DRILL DEPTH: 500FT

54N 2W 32

DEPTH TO BED: 50FT

UTM X UTM Y
659,849.63 4,363,841.60
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5 MI SW OF LOUISIANA' YIELDS - 4 GPM @ 460', 16 GPM @ 495'

S.W.L. (AFTER CASING):

LOG ID:
004655

WELL TYPE
Private Well

DRILL DATE: 1937/10/20

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 475FT

54N 2W 33

DEPTH TO BED: 5FT

UTM X UTM Y
660,548.64 4,364,627.62
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: #1 BARNEY FLANAGAN

S.W.L. (AFTER CASING): 65

LOG ID:
025538

WELL TYPE
Private Well

DRILL DATE: 1967/11/15

TOWNSHIP RANGE SECTION

ELEVATION: 566FT

DRILL DEPTH: 350FT

54N 3W 1

DEPTH TO BED: 25FT

UTM X UTM Y
655,857.63 4,371,436.78
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 11 MI NW OF LOUISIANA ON HWYS 79 & 88.

S.W.L. (AFTER CASING):

LOG ID:
023261

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 748FT

DRILL DEPTH: 485FT

54N 3W 25

DEPTH TO BED: 20FT

UTM X UTM Y
655,537.57 4,364,824.60
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FORMERLY JOHN R. CATLETT

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026491

WELL TYPE
Private Well

DRILL DATE: 1968/08/20

TOWNSHIP RANGE SECTION

ELEVATION: 700FT

DRILL DEPTH: 200FT

54N 3W 31

DEPTH TO BED: 20FT

UTM X UTM Y
648,302.46 4,363,945.52
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
023899

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 724FT

DRILL DEPTH: 425FT

54N 4W 10

DEPTH TO BED: 290FT

UTM X UTM Y
642,601.46 4,370,896.64
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 135

LOG ID:
026895

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 664FT

DRILL DEPTH: 265FT

54N 4W 11

DEPTH TO BED: 45FT

UTM X UTM Y
644,832.47 4,369,876.64
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
026740

WELL TYPE
Private Well

DRILL DATE: 1967/06/14

TOWNSHIP RANGE SECTION

ELEVATION: 702FT

DRILL DEPTH: 325FT

54N 4W 14

DEPTH TO BED: 65FT

UTM X UTM Y
644,745.47 4,369,184.62
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: NEAR FRANKFORD

S.W.L. (AFTER CASING): 130

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022356

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 647FT
54N 4W 2
DRILL DEPTH: 235FT UTM X UTM Y
DEPTH TO BED: 645,196.50 4,372,330.71
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: "SALT WATER IN LAST 5' OF WELL"
S.W.L. (AFTER CASING):

LOG ID:
013268

WELL TYPE
Private Well

DRILL DATE: 1954// TOWNSHIP RANGE SECTION ELEVATION: 797FT
54N 4W 33
DRILL DEPTH: 545FT UTM X UTM Y
DEPTH TO BED: 30FT 641,054.38 4,364,429.43
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI N OF CURRYVILLE; YIELD - 20 GPM @ 400'
S.W.L. (AFTER CASING):

LOG ID:
021878

WELL TYPE
Private Well

DRILL DATE: 1963/05/11 TOWNSHIP RANGE SECTION ELEVATION: 853FT
54N 4W 35
DRILL DEPTH: 124FT UTM X UTM Y
DEPTH TO BED: 100FT 645,506.42 4,363,598.47
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100

LOG ID:
021998

WELL TYPE
Private Well

DRILL DATE: 1963/04/20 TOWNSHIP RANGE SECTION ELEVATION: 631FT
54N 4W 5
DRILL DEPTH: 428FT UTM X UTM Y
DEPTH TO BED: 185FT 639,542.43 4,371,720.61
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 100



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018716**WELL TYPE

Private Well

DRILL DATE: 1959/11/02TOWNSHIP RANGE SECTIONELEVATION: 701FTDRILL DEPTH: 297FT

54N

4W

9

DEPTH TO BED: 30FTUTM XUTM Y

642,380.46 4,370,889.63

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2.5 MI S OF FRANKFORDS.W.L. (AFTER CASING):**LOG ID:****025688**WELL TYPE

Private Well

DRILL DATE: 1968/07/08TOWNSHIP RANGE SECTIONELEVATION: 761FTDRILL DEPTH: 345FT

54N

4W

9

DEPTH TO BED: 70FTUTM XUTM Y

641,180.44 4,370,685.61

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "DRILLER INDICATES SALT TASTE AT BOTTOM"S.W.L. (AFTER CASING):**LOG ID:****024158**WELL TYPE

Private Well

DRILL DATE: 1966/03/16TOWNSHIP RANGE SECTIONELEVATION: 486FTDRILL DEPTH: 110FT

55N

2W

18

DEPTH TO BED:UTM XUTM Y

657,087.68 4,378,880.95

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI FRON HWY 79S.W.L. (AFTER CASING): 100**LOG ID:****011331**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1950//TOWNSHIP RANGE SECTIONELEVATION: 510FTDRILL DEPTH: 229FT

55N

3W

12

DEPTH TO BED: 80FTUTM XUTM Y

656,166.68 4,380,483.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ASHBURN - DuPONT RESERVATIONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001540**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1902//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	579FT
<u>DRILL DEPTH:</u>	665FT	55N	3W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	160FT				655,785.66	4,378,488.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	WELL PLUGGED BY 1935; STARTS NEAR BASE OF GRASSY CREEK SH			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**001590**WELL TYPE

Oil Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	580FT
<u>DRILL DEPTH:</u>	665FT	55N	3W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	160FT				655,785.66	4,378,488.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**023354**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	649FT
<u>DRILL DEPTH:</u>	380FT	55N	3W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				655,085.66	4,379,090.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	POOR SAMPLES			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**022016**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1963/06/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	572FT
<u>DRILL DEPTH:</u>	165FT	55N	3W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				649,663.57	4,375,789.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	10					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005784

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1939/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	546FT
<u>DRILL DEPTH:</u>	305FT	55N	3W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				651,932.62	4,381,028.99
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	29					

REMARKS:

LOG ID:
023470

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	569FT
<u>DRILL DEPTH:</u>	215FT	55N	4W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	97FT				644,543.50	4,372,726.72
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

LOG ID:
023897

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	580FT
<u>DRILL DEPTH:</u>	65FT	55N	4W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					644,343.50	4,373,136.73
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS:

PIKE